



## Rotary Jet Wash Tool

**Rotary Jet Wash Tool** is designed to be used for both jetting and circulating operations when cleaning and washing the inside of the tubing. It can also be used to assist in the manipulation of the coiled tubing string both in and out of the well.

The design of the Rotary Jet Wash Tool works on the principal of applied fluid pressure, causing the nozzle to rotate and jet the fluid against the tubing wall in a 360° rotating action.

### Features

- 1) Forward and reverse jetting
- 2) Simple design
- 3) Numerous jetting options



Rotary Jet Wash Tool		
O.D.	Normal Nozzle Mode	Connection
1.50"	$\Phi 3.2 \times 2 @ 90^\circ + \Phi 3.2 \times 2 @ 45^\circ + \Phi 3.2$	1" AMMT
1.75"	$\Phi 3.2 \times 3 @ 90^\circ + \Phi 3.2 \times 3 @ 45^\circ + \Phi 3.2$	1" AMMT
2.125"	$\Phi 3.2 \times 4 @ 90^\circ + \Phi 3.2 \times 4 @ 45^\circ + \Phi 6.35$	1-1/2" AMMT
2.875"	$\Phi 3.2 \times 4 @ 90^\circ + \Phi 3.2 \times 4 @ 45^\circ + \Phi 6.35$	2-3/8" PAC

- 1) *Other sizes available on request.*
- 2) *AMMT, PAC and other thread connection for selective.*
- 3) *STD and H<sub>2</sub>S service environment for selective. Quote with STD service if no specify.*

*Subject to change without notice*